

Indications for Use of Infant Formulas

Category	Brand Name(s) Available	Indication(s)
Standard	Similac 360 Total Care Advance Good Start GentlePro Δ Enfamil NeuroPro Infant	Standard, cow's milk based formula
Soy	Similac Soy Isomil Enfamil ProSobee Good Start Soy	Soy protein, lactose free, vegetarian, can be used in some cases of milk protein intolerance
Low Lactose	Enfamil NeuroPro Gentlease (~20% lactose) Enfamil Reguline (50% lactose, 2 prebiotics) Similac 360 Total Care Sensitive (<1% lactose, intact protein) Good Start SoothePro (30% lactose) Δ Similac Pro-Total Comfort (<1% lactose) Enfamil NeuroPro Sensitive (<1% lactose)	Lower amount of lactose, protein is partially broken down for digestion
Rice-Thickened	Enfamil AR Similac for Spit Up	Thickens in acidic environment of stomach to aid in reflux (therefore concurrent H2 blocker or PPI use is discouraged). Do not concentrate > 24 kcal/oz.
Hydrolysate	Nutramigen with Enflora LGG Δ Nutramigen RTF/Concentrate Pregestimil Similac Alimentum Gerber Extensive HA	Considered hypoallergenic, can be used for malabsorption (Pregestimil), cow's milk protein allergy/intolerance
Elemental	EleCare for Infants Neocate Infant Neocate Syneo Infant PurAmino	100% amino acids, hypoallergenic, malabsorption, cow's milk protein allergy/intolerance that doesn't respond to hydrolysate formula
Organic	Similac Organic Enfamil Simply Organic	USDA certified organic, cow's milk based
Premature Discharge/Transition	Similac Neosure Enfamil NeuroPro EnfaCare	Higher protein, calcium and phosphorus for babies born <34 weeks for use up to 12 months corrected age. May be indicated in the late preterm infants (34 – 37 weeks gestation)

Indications for Use of Infant Formulas

Category	Brand Name(s) Available	Indication(s)
Renal	Similac PM 60/40	Indicated for hypocalcemia due to hyperphosphatemia or impaired renal function requiring low mineral intake. Low renal solute load. Low in iron.
Carbohydrate Intolerance	Ross Carbohydrate Free (RCF) Enfamil 3232A (hydrolyzed protein, very low in CHO)	Indicated for infants with intolerance to CHO or for management of seizure disorders requiring a ketogenic diet. CHO source is determined by MD and added in increments from 1 – 7%.
Lymphatic Dysfunction	Enfaport Portagen (pediatric formula, but used on occasion in infants when mixed 50:50 with Pregestimil)	Indicated for lymphatic dysfunction (chylous fistula, chylothorax). High MCT.
Low Calcium	Calcilo XD	Indicated for infants with Williams Syndrome, primary hyperparathyroidism, or hypercalcemia. No vit D & low amounts of calcium and phos.
Premature	Similac Special Care Similac Special Care High Protein Enfamil Premature Enfamil Premature High Protein	These formulas have more protein, vitamins, and minerals (especially Ca, Phos) for premature needs. Institutional use only.
Human Milk Fortifier	Similac Human Milk Fortifier (powder & liquid) Enfamil Human Milk Fortifier (powder & liquid)	For premature infants < 2000g. Higher in protein, vitamins, and minerals for premature needs. Institutional use only.

△ Formulas with Added Probiotics:

**Cautioned use in patients who are immunocompromised

Good Start GentlePro and SoothePro – Lactobacillus Reuteri
Nutramigen with Enflora LGG – Lactobacillus GG