

Medicine chart



- Acetaminophen (Tylenol) can be used every 4 to 6 hours. Read all medicine labels to make sure you are not taking more than one medicine with acetaminophen at a time.
- Most children are given a narcotic, such as oxycodone, to use for severe pain. **If the oxycodone also has acetaminophen on the prescription label, do not give other acetaminophen within 4 hours.** If you have questions, ask the pharmacist.
- If you have questions about this or other medicine, please talk with your doctor.

Day 1							
Medicine name	Dose amount	Can give every	Time given				
Acetaminophen (Tylenol)							
Ibuprofen (Motrin / Advil)							
Diazepam (Valium)							
Oxycodone							
Day 2							
Medicine name	Dose amount	Can give every	Time given				
Acetaminophen (Tylenol)							
Ibuprofen (Motrin / Advil)							
Diazepam (Valium)							
Oxycodone							
Day 3							
Medicine name	Dose amount	Can give every	Time given				
Acetaminophen (Tylenol)							
Ibuprofen (Motrin / Advil)							
Diazepam (Valium)							
Oxycodone							

Day 4							
Medicine name	Dose amount	Can give every	Time given				
Acetaminophen (Tylenol)							
Ibuprofen (Motrin / Advil)							
Diazepam (Valium)							
Oxycodone							
Day 5							
Medicine name	Dose amount	Can give every	Time given				
Acetaminophen (Tylenol)							
Ibuprofen (Motrin / Advil)							
Diazepam (Valium)							
Oxycodone							
Day 6							
Medicine name	Dose amount	Can give every	Time given				
Acetaminophen (Tylenol)							
Ibuprofen (Motrin / Advil)							
Diazepam (Valium)							
Oxycodone							
Day 7							
Medicine name	Dose amount	Can give every	Time given				
Acetaminophen (Tylenol)							
Ibuprofen (Motrin / Advil)							
Diazepam (Valium)							
Oxycodone							