Children's Hospital of Wisconsin Preterm infant discharge guideline

	are preferm infant (35 – 37 weeks)				
n	ewborn nursery discharge guidelines		2013		
	Length of stay ≥48 hours		Parents		
	Follow-up visit with health care provider made (for 24-48 ho after discharge), and follow-up health care provider notified Name of follow-up provider		BEST PREEMIE CARE		
	Vital signs normal for 12 hours prior to discharge RR <60; HR 100-160; axillary temp 97.7-99.3°F (36.5-37.4°C)		Babies who come to		
	At least one spontaneous stool Successful feeding at breast or bottle for 24 hours. Infants w 2-3 percent weight loss per day or 7 percent loss during hospitalization need assessment for signs of dehydration	ith	Children's Hospital for newborn services stay in the #1 neonatal intensive care unit in the nation.		
	before discharge ≥7 percent loss during stay ☐ Yes ☐ No				
	If yes, was infant assessed for dehydration?	es	□ No		
	actation has assessed breastfeeding and documented in chart – breastfeeding quality has been evaluated at least twice daily by trained caregiver				
	Feeding plan developed and understood by family				
	Hyperbilirubinemia risk assessment done, documented in chart, caregiver aware and appropriate follow-up arranged				
	No active bleeding at circumcision site for at least two hours				
	Maternal laboratory results and all newborn screening tests done and recorded in chart				
	Include hearing and SHINE tests				
	> State newborn screen after 24 hrs of feeds, results se	nt to \	Wisconsin state lab		
	Hepatitis B administered				
	Car seat test done				
	Family, environmental and social risk factors assessed (If risk factors identified, delay discharge until they are resolved or a plan is made to address them.)				
	Risk factors may include:				
	Untreated parental substance abuse		lone		
	Child abuse/neglectMental illness in parent in home		lone Ione		
	Poor social support		lone		
	Homelessness	□ N			
	Risk of domestic violence	□ N	lone		
	 Adolescent mother with other risk factors present Other 	□ N	one Ione		

(over)

Children's



П	Mother and caregivers received information or training or ho	31/0	demonstrated
_	competency in the following:	ave	demonstrated
	Expected pattern of voiding and stooling		Yes
	 Umbilical cord, skin and newborn genital care 		Yes
	Hand hygiene		Yes
	Use of thermometer		Yes
	 Assessment and provision of appropriate layers of 		
	clothing		Yes
	 Identification of common signs and symptoms of 		
	hyperbilirubinemia, sepsis and dehydration		Yes
	 Provision for safe sleep environment 		Yes
	 Safety discussion 		
	- Car seat		Yes
	- Smoke alarms		Yes
	- Second-hand smoke		Yes
	 Appropriate responses to emergencies 		Yes

Guidelines based on Pediatrics, 120(6):1390-1401, 2007.

Clinic information

chw.org/neonatology

Medical care guidelines

Tools for primary care providers chw.org/medicalguidelines

Physician consultation and referral

Refer a patient • Discuss a case • Arrange a transport chw.org/refer (414) 266-2460 or toll-free (800) 266-0366

Appointments

Outpatient specialty appointments chw.org/appointment (414) 607-5280 or toll-free (877) 607-5280